

2:1 SUPERVISION MODEL

- ☑ Positive Aspects
- ☑ Negative Aspects
- ☑ How and Why It Worked



POSITIVE ASPECTS

- ☑ Learning about cooperation and teamwork
- ☑ Learning from peers
- ☑ Less intimidating / Easier to take initiative
- ☑ May complement each other
- ☑ Caseload



NEGATIVE ASPECTS

- ☑ Competition
- ☑ More work for the supervisor
- ☑ Less feedback for students
- ☑ Organization
- ☑ Different learning styles and learning rates
- ☑ Hard to provide the same learning experience for both
- ☑ May be difficult to separate
- ☑ Caseload



HOW AND WHY IT WORKED

- ☑ Roles clearly divided
- ☑ Site was very open to communication
- ☑ Supervisor very open to communication
- ☑ Supervisor recognized that we are 2 individuals each with strengths and weaknesses



HOW AND WHY IT WORKED (CONT'D)

- ☑ No competition between us; both open to feedback
- ☑ Good organization
- ☑ Not too proud to ask for help



CONCLUSION

- ☑ 2:1 supervision isn't that scary
- ☑ Supervisor and students' personalities very important to take into account
- ☑ Closer to reality than 1:1 supervision



QUESTIONS



THANK YOU

Merci



REFERENCES

- Alexanderson, H, Dastmalchi, M, Esbjornsson-Liljedahl, M, Opaba, C.H, Lundberg, I.E. (2007). Benefits of Intensive Resistance Training Patients with Chronic Polymyositis or Dermatomyositis. *Arthritis & Rheumatism*, 57 (5), 768-777
- Bussemán, J.B, Garssen, M.P, van Doorn, F.A., & Stam, H.J. (2007). Analysing the favourable effects of physical exercise: relationships between physical fitness, fatigue and functioning in Guillain-Barré Syndrome and Chronic Inflammatory Demyelinating Polyneuropathy. *Journal of Rehabilitation Medicine*, 39, 121-125.
- Chan, K.F, Boey, M.L. (1996). Transverse myelopathy in SLE: clinical features and functional outcomes. *Lupus*, 5, 294-298.
- Chronic Inflammatory Demyelinating Polyneuropathy (n.d.) Retrieved June 30, 2008 from http://en.wikipedia.org/wiki/Chronic_inflammatory_demyelinating_polyneuropathy
- Dermatomyositis and polymyositis (n.d) Retrieved June 30, 2008 from <http://en.wikipedia.org/wiki/Dermatomyositis>
- Ghez, C, Gordon, J, & Ghilardi, M.F. (1995). Impairments of Reaching Movement in Patients Without Proprioception. II. Effects of Visual Information on Accuracy. *Journal of Neurophysiology*, 70(1), 361-372.
- Grieva, J, Hsieh, L. (2006). Gait rehabilitation in acute transverse myelitis: a case report. *New Zealand Journal of Physiotherapy*, 33 (1), 17-23.
- Hughes, R.A.C. (2003). Management of Chronic Inflammatory Demyelinating Polyradiculoneuropathy. *Drugs*, 63(3), 275-286.
- Kaplin, A.I, Krishnan, C, Deshpande, D.M, Pardo, C.A, Kerr, D.A. (2005). Diagnosis and Management of Acute Myelopathies. *The Neurologist*, 11 (1), 2-16.
- Lewis, R.A, Zwartau-Hind, M (2008) Chronic inflammatory Demyelinating Polyradiculoneuropathy. Retrieved June 30th, 2008 from eMedicine.com 'The Continually Updated Clinical Reference'. <http://www.emedicine.com/neuro/TOPIc457.HTM>
- Transverse Myelitis (n.d) Retrieved June 30, 2008 from http://en.wikipedia.org/wiki/Transverse_myelitis
- Vaish, C, Paitis, E, & Kutun, R. (2003). The effect of physical exercise following acute disease exacerbation in patients with dermatomyositis. *Clinical Rehabilitation*, 17, 83-87.
- Wiesinger, G.F et al. (1999). Improvement of physical fitness and muscle strength in polymyositis/dermatomyositis patients by a training programme. *British Journal of Rheumatology*, 37, 198-200.

